


Geberit Mepla -T-haara, supistettu



Esimerkkikuva

OMINAISUUDET

- Puristamattomana vuotava liitos
- O-rengas EPDM-kumia
- Puristus päät läpikuultavilla suojahatuilla

TEKNISET TIEDOT

Materiaali PVDF

Tuotenumro	LV1 nro.	DN	d, ø mm	d1, ø mm	d2, ø mm	arc °	L cm	L1 cm	Z cm	Z1 cm	Z2 cm
622.313.00.5	1752523	12, 15, 12	16	20	16	90	9.6	5.1	2.2	2.2	2.2
622.314.00.5	1752533	15, 12, 12	20	16	16	90	9.9	4.8	2.2	2.2	2.2
622.311.00.5	1752534	15, 12, 15	20	16	20	90	10.1	4.8	2.2	2.2	2.2
622.312.00.5	1752536	15, 15, 12	20	20	16	90	9.9	5.1	2.2	2.2	2.2
623.318.00.5	1752538	15, 20, 15	20	26	20	90	11.3	5.5	2.8	2.2	2.8
623.311.00.5	1752550	20, 12, 20	26	16	26	90	10	5.2	1.7	2.6	1.7
623.317.00.5	1752553	20, 15, 15	26	20	20	90	10.9	5.7	2.2	2.8	2.5

Tuotenro	LV nro.	DN	d, ø mm	d1, ø mm	d2, ø mm	arc °	L cm	L1 cm	Z cm	Z1 cm	Z2 cm
623.315.00.5	1752554	20, 15, 20	26	20	26	90	11	5.7	2.2	2.8	2.2
623.316.00.5	1752557	20, 20, 15	26	26	20	90	11.5	5.8	2.2	2.2	2.8
624.311.00.5	1752572	25, 12, 25	32	16	32	90	11.6	5.5	2	2.9	2
624.314.00.5	1752576	25, 15, 20	32	20	26	90	11.5	6	2.2	3.1	2.2
624.317.00.5	1752577	25, 15, 25	32	20	32	90	11.6	6	2	3.1	2
624.316.00.5	1752581	25, 20, 20	32	26	26	90	11.7	5.9	2.3	2.6	2.3
624.319.00.5	1752582	25, 20, 25	32	26	32	90	12.2	5.9	2.3	2.6	2.3
625.317.00.5	1752608	32, 15, 32	40	20	40	90	13.2	6.4	2.2	3.5	2.2
625.319.00.5	1752614	32, 20, 32	40	26	40	90	13.8	6.5	2.5	3.2	2.5
625.321.00.5	1752620	32, 25, 32	40	32	40	90	14.4	7.2	2.8	3.2	2.8
626.317.00.5	1752656	40, 20, 40	50	26	50	90	15.4	7.1	2.7	3.8	2.7
626.319.00.5	1752663	40, 25, 40	50	32	50	90	16	7.6	3	3.8	3
626.320.00.5	1752669	40, 32, 32	50	40	40	90	16.2	8.2	3.4	3.8	3.4

Tuotenro	LVl nro.	DN	d, ø mm	d1, ø mm	d2, ø mm	arc °	L cm	L1 cm	Z cm	Z1 cm	Z2 cm
626.321.00.5	1752670	40, 32, 40	50	40	50	90	16.8	8.2	3.4	3.8	3.4
627.316.00.5	1752710	50, 20, 50	63	26	63	90	19.2	7.9	2.8	4.6	2.8
627.320.00.5	1752718	50, 25, 50	63	32	63	90	19.8	8.6	3.1	4.8	3.1
627.321.00.5	1752726	50, 32, 50	63	40	63	90	20.8	9.2	3.6	4.8	3.6
627.322.00.5	1752734	50, 40, 50	63	50	63	90	22	9.8	4.2	4.8	4.2
628.316.00.5	1752736	65, 20, 65	75	26	75	90	23.5	8.9	3.1	5.5	3.1
628.320.00.5	1752737	65, 25, 65	75	32	75	90	24	8.8	3.3	5	3.3
628.321.00.5	1752738	65, 32, 65	75	40	75	90	24.9	9.9	3.7	5.5	3.7
628.322.00.5	1752739	65, 40, 65	75	50	75	90	25.9	10.8	4.2	5.8	4.2
628.323.00.5	1752740	65, 50, 65	75	63	75	90	27.7	12.7	5.2	6	5.2